



CATALOGUE

2024/2025



CIVIL PRODUCTS WA

Your Partner In Safety



Table of Contents

Traffic Cones, Cone Bars	4
T-Tops and Flexi Bollards, Bunting Flags & Chains	5
Multi-Message Frame and Sand Bag	6
Quad Stands, Barrier Boards	6
Stop/Slow Bat	7
Tornado Guide Posts	7
RHS – 76x38 & FRP- RHS – 76x38	8
Round Steel Posts	9
FRP Round Posts	10
ARC Brackets & TD1A/TD2A	10
Bolts, Washers & Wedges	10
L Bracket & Catsby Bracket & UR251	10
Grab Rails	10
Bollards Steel – Surface Mount	11
Bollards Steel – In-Ground	11
Wheel Stoppers	12
Speed Humps	13
Convex Mirrors	13
FRP Star Picket	13
Barrier Mesh	14
Spikes & Bolts	14
Cable Protectors	14
Wheel Chocks, Safety Triangles & First Aid Kit	15
Solar Lights & Delineator	15
Corflute Signage	16

ABOUT US

At Civil Products WA, we take immense pride in being your trusted partner for all your safety and civil equipment. With an extensive wealth of knowledge in traffic management, traffic control, and mining safety, we confidently position ourselves as a steadfast partner, addressing a wide spectrum of needs within the civil and construction sector.

With years of experience in the industry, our team of experts brings a wealth of knowledge and expertise to every project. Whether you are involved in large-scale infrastructure development, road construction, mining, or any civil engineering endeavour, we offer a comprehensive range of high-quality products that cater to your specific requirements.

We are more than just a supplier; we are your partners in progress. We are here to collaborate with you, offering tailored solutions and support to ensure the success of your projects. Our mission is to contribute to the growth and development of Western Australia's infrastructure while maintaining the highest standards of safety and sustainability.

RELIABLE CIVIL & SAFETY SOLUTIONS

Contact us below to request a quote on your product needs and requirements

 (08) 9248 7313

 www.civilproductswa.com.au

 sales@civilproductswa.com.au

 57 Challenge Blvd. Wangara, WA 6065, Australia

TRAFFIC CONES

Our traffic cones are made of durable materials like PVC or rubber. They feature reflective strips for high visibility, are lightweight and stackable for easy transportation, and are sturdy enough to withstand impact. Their main benefits include enhancing safety, facilitating temporary traffic control, ensuring compliance with regulations, and offering versatility for various environments like construction sites and events.

Orange (Black base)

TRC-700 ORBLBWS	Traffic Cone 700mm Orange, Black Base with sleeve
TRC-700BLKBNS	Traffic Cone 700mm Orange, Black Base no sleeve
TRC-900ORBLKB	Traffic Cone 900mm Orange, Black Base with sleeve
TRC-1MTORBBWS	Traffic Cone 1000mm Orange, Black Base with sleeve
TRC-450ORBBLK	Traffic Cone 450mm Orange, Black Base with sleeve



Orange Base

TRC-700ORWF	Traffic Cone 700mm Orange, Orange Base with sleeve
TRC-700ORNSL	Traffic Cone 700mm Orange, Orange Base no sleeve
TRC-450ORWF	Traffic Cone 450mm Orange, Orange Base with sleeve



Various Colours (with sleeves)

TRC-700GRBLB	Traffic Cone 700mm Green, Black Base with sleeve
TRC-700BLU	Traffic Cone 700mm Blue, Black Base with sleeve
TRC-700YLBLB	Traffic Cone 700mm Yellow, Black Base with sleeve



Various Colours (no sleeves)

TRC-700GRNS	Traffic Cone 700mm Green, Black Base no sleeve
TRC-700BLUNS	Traffic Cone 700mm Blue, Black Base no sleeve
TRC-700YNS	Traffic Cone 700mm Yellow, Black Base no sleeve
TRC-700WHBLS	Traffic Cone 700mm White, Black Base no sleeve



Cone Bars

CP-COBBWRE	Cone Bar PVC Retractable – Blue/White
CP-COBRWRE	Cone Bar PVC Retractable – Red/White
CP-COBYBRE	Cone Bar PVC Retractable – Yellow/Black



T-TOP BOLLARDS

These are designed with features to enhance visibility, such as reflective materials or added signalling devices. T-Tops are used in construction sites, events, or other areas where temporary redirection or guidance of pedestrian and vehicular traffic is needed. They are made from durable and weather-resistant plastic to withstand outdoor conditions and potential impact.

CP-BOB6	Bollard Base 6kg
CP-BOB8	Bollard Base 8kg
CP-BOLSTEM	Bollard T-Top Stem



FLEXI BOLLARDS

Our Flexi Bollards are made from durable materials such as high-density polyethylene (HDPE) or rubber. These materials provide flexibility and resilience, allowing the bollards to bend upon impact and then return to their upright position. The flexibility of our bollards is achieved through their design, allowing them to absorb and disperse the energy from a collision. This helps prevent damage to vehicles and reduces the risk of injury to pedestrians.

CP-BOLFLEX	Bollard Flexible (PVC)
TRC-CP-BOSCRD75	Bolt Screw 10x75mm Red Tip
CP-BOSCRD1020	Bolt Screw 10x120mm Red Tip



BUNTING FLAGS & CHAINS

They are made from durable plastic materials, such as polyethylene. They are lightweight, weather-resistant, and come in various colours. Our Plastic chains consist of interlocking links, creating a flexible but sturdy barrier. They are available in different link sizes and strengths to suit various applications. They are an effective way to create temporary barriers, mark off restricted areas, or guide pedestrian and vehicular traffic.


CP-BUFLBLWH	Bunting Flag – Blue/White 30m
CP-BUFLOR	Bunting Flag – Orange 30m
CP-BUFLRWBL	Bunting Flag – Red/White/Black 30m
CP-BUFLWH	Bunting Flag – White (Danger) 30m
CP-BUFLY	Bunting Flag – Yellow (Caution) 30m
CP-BUFLYLBL	Bunting Flag – Yellow/Black 30m
CP-CHPLREDWH	Chain - Plastic Red/White
CP-CHPLYEL	Chain - Plastic Yellow 8mm/25m



MULTI-MESSAGE FRAME / SAND BAGS

Multi-Message Frame design allows for easy customisation by inserting different messages or signs as needed. Our Sandbags are made of woven polypropylene or other sturdy materials that can withstand exposure to the elements.. The sandbags would stabilise and secure the frame, ensuring it remains in place, especially in outdoor or changing environments.

CP-MMF-66	Multi Message Frame – 600x600
CP-MMF-123	Multi Message Frame – 1200x300
CP-MMF-96	Multi Message Frame – 900x600
CP-MMF-25	Multi Message Frame – 25mm 1270x940
CP-AFWF1080	Water-fillable A-Frame 680x1080
CP-AFRPC600	Black Powder-Coated A-Frame 600x50
CP-BIPL16LG	Bi-pod Leg D16 Round 1170x700
CP-BIPL18	Bi-pod Leg D18 Round 1170x700
CP-SANDBAG-YEL-AUS	Sand Bag Yellow



QUAD STAND

Is designed for temporary applications, making it easy to set up and relocate as needed. Its portability allows for quick deployment and removal. Our stand offers durability to withstand outdoor conditions, including exposure to weather elements. Our Quad Stand's design is to allow the accommodation of different types of signage and can be used for various purposes where temporary and portable signage is required.

CP-QUADST 600	Quad Stand 600mm
CP-QUADST 900	Quad Stand 900mm
CP-QUADST1200	Quad Stand 1200mm



BARRIER BOARD

These are made of durable materials such as plastic, PVC, or similar substances, ensuring longevity and resistance to outdoor conditions. These are available in bright and highly visible colours such as orange, yellow, or red to attract attention and convey important messages effectively. The design of our barrier boards allows for easy portability, enabling quick deployment and repositioning as needed.

CP-BARBRD	Barrier Board 2.5m
CP-BARBRDLG	Barrier Board Leg (each)



STOP/SLOW BAT

The bat on this product has a handle for ease of use, allowing the traffic controller to hold and manipulate it easily to convey the appropriate signal. They are reflective or made with high-visibility materials to ensure that they can be easily seen during both daylight and nighttime conditions. These Stop/Slow Bat helps regulate the flow of vehicles for the safety of both drivers and workers.

SIG-S/S Bat Stop/Slow Bat (Complete with sign)

SIG-S/S WPWD Stop/Slow Post FRP (no sign)

CP-SIC Sign Cover for Stop/Slow Bat



Plastic Moulded Collar provides extra support for the sign and ergonomic grip



Optional Sign Cover prevents scratching of stop/slow sign during transportation



Plastic Base Cap prolongs life of FRP post

TORNADO GUIDE POSTS

Classified as a flexible road-side guide post the Tornado Posts (3mm) are manufactured in Australia from UV-stabilised, 100% recyclable PVC. Manufactured from rigid and impact-stabilized PVC to ensure products return to their natural state after high-impact. Tornado Posts are classified as opaque white and are UV-stabilized for use in direct Australian sunlight. Vehicle Impact Tested according to AS1742.2-2009

CP-GUPWD-AUS Guide Post 1350mm White FI with Delineator

CP-GUPND-AUS Guide Post 1350mm White FI no Delineator



Cold Testing:

Tested at -5°C to 0°C

Returned to normal / straight after < 30 seconds

Central 1.5Kg impact from 1.5m incurred no damage

Heat Testing:

Tested at 55°C to 65°C

Returned to normal / straight after < 30 seconds


Central 1.5Kg impact from 1.5m incurred no damage

Installation:

The Tornado Posts are to be installed by pre-digging, inserting the post and backfilling. Designed for use in soft to moderate density ground, a manual driver and auger can be utilised. Recommended minimum 400mm in ground depth.

RHS – 76x38 SIGN POSTS

CP-SIPY1.6	Sign Post Yellow 1.6m
CP-SIPY2.0	Sign Post Yellow 2.0m
CP-SIPY3.2	Sign Post Yellow 3.2m
CP-SIPY3.4	Sign Post Yellow 3.4m
CP-SIPY3.6	Sign Post Yellow 3.6m
CP-SIPY3.8	Sign Post Yellow 3.8m
CP-SIPY4.2	Sign Post Yellow 4.2m



FRP (FIBRE-REINFORCED PLASTIC) RHS – 76x38

FRP Offers strength and flexibility, capable of absorbing minor impacts without damage. It is lightweight design and offers easy installation. UV stabilized and fire-resistant properties ensure durability. The solid color remains intact, resisting rot, rust, fading, or peeling. Chemical and corrosion resistance makes it ideal for coastal and corrosive environments. Approved by Main Roads - suitable for various urban and rural areas. Specifically designed for Australian conditions.

FRP-REYEL-1.6	FRP Rectangle 76x38 Yellow 1.6m
FRP-REYEL-2	FRP Rectangle 76x38 Yellow 2.0m
FRP-REYEL-3.2	FRP Rectangle 76x38 Yellow 3.2m
FRP-REYEL-3.4	FRP Rectangle 76x38 Yellow 3.4m
FRP-REYEL-3.6	FRP Rectangle 76x38 Yellow 3.6m
FRP-REYEL-3.8	FRP Rectangle 76x38 Yellow 3.8m
FRP-REYEL-4.2	FRP Rectangle 76x38 Yellow 4.2m



ROUND STEEL POST

Our posts are made of steel, providing strength and durability. They are versatile and can be used for a variety of purposes, including supporting fences, road signs, traffic control devices, construction barriers, and more.

CP-ROP3.2	Round Post 3.2mt
CP-ROP3.6	Round Post 3.6mt
CP-ROPY3.2	Round Post Yellow 3.2mt
CP-ROPY3.6	Round Post Yellow 3.6mt



FRP ROUND POST

Our FRP round posts are made from fibre-reinforced plastic, which is a composite material known for its high strength-to-weight ratio, corrosion resistance, and durability. FRP round posts are suitable for applications in environments with high moisture, chemicals, or harsh weather conditions. They are generally lightweight which makes them easy to handle and transport, facilitating installation.

FRP-ROGR60-3.2	FRP Round Grey 60OD 3.2m
FRP-ROGR60-3.6	FRP Round Grey 60OD 3.6m
FRP-ROYEL60-3.2	FRP Round Yellow 60OD 3.2m
FRP-ROYEL60-3.6	FRP Round Yellow 60OD 3.6m



ARC BRACKETS

These brackets are designed to securely attach and support signage that has a channel on the back. They are made from durable and weather-resistant materials. These brackets offer a level of adjustability, allowing for proper alignment and positioning of the signage.

CP-BRARC60	Bracket ARC 60mm
CP-BRARC76	Bracket ARC 76mm
CP-BRARC76	Bracket ARC 89mm
CP-BRARC102	Bracket ARC 102mm
CP-BRARC114	Bracket ARC 114mm



TD1A / TD2A

These are lightweight in nature and resistant to corrosion.

CP-TD1A	TD1A
CP-TD2A	TD2A



BOLTS & WASHERS

These are fastening components used in various applications across different industries.

CP-BOLTCT1021	Bolt Cone Tip M10x21mm
CP-BOLTCT1025	Bolt Cone Tip M10x25mm
CP-BOASM8	Bolt Assembly M8
CP-BOASM10	Bolt Assembly M10
CP-SEW8	Security Washer 8mm
CP-SEW10	Security Washer 10mm



WEDGES

Our Wedges allows it to convert force applied at its thick end into a greater force perpendicular to its inclined surfaces.

CP-WELSLG	Wedge Large Loc Socket
CP-WELSSM	Wedge Small Loc Socket



L BRACKET & CATSBY BRACKET & UR251


CP-BRALL	Bracket L Aluminium
CP-BRCAT	Bracket Catsby
CP-BRBO251	Bracket & Bolt UR251 Stainless Steel



GRAB RAILS

The Powder coating provides a durable and tough finish that resists chipping, scratching, fading, and general wear and tear. Powder-coated grab rails are less prone to corrosion, making them suitable for installations in environments with high humidity, moisture, or

CP-GRY600	Grab Rail Powder Coated Yellow 600mm
CP-GRY900	Grab Rail Powder Coated Yellow 900mm
CP-GRY1200	Grab Rail Powder Coated Yellow 1200mm
CP-GRY1500	Grab Rail Powder Coated Yellow 1500mm
CP-GRY1800	Grab Rail Powder Coated Yellow 1800mm



** Code for striping option remains the same with an S prefixed.

BOLLARDS: POWDER-COATED STEEL – SURFACE MOUNTED

Our Surface Mounted Steel Bollard is made of steel, a durable and robust material commonly used for bollards due to its strength and impact resistance. The powder-coated finish enhances the bollard's resistance to weather elements, making it suitable for outdoor use in various environmental conditions and easier to maintain and clean compared to some other finishes.

CP-BOL102x1200SM

Bollard Steel 102x1200 Surface Mount

CP-BOL115x1200SM

Bollard Steel 115x1200 Surface Mount

CP-BOL140x1200SM

Bollard Steel 140x1200 Surface Mount


CP-BOL165x1200SM

Bollard Steel 165x1200 Surface Mount

OPTIONS:

* Yellow / White Powder-coated with cap | Four fixing holes in base plate

* Striping available at an extra cost



BOLLARDS: HOT-DIPPED GALVANISED - STEEL - SURFACE MOUNTED

This galvanized coating helps prevent corrosion and enhances the bollard's longevity, making it well-suited for outdoor applications. The hot-dip galvanized coating provides excellent protection against the elements, making the bollard highly resistant to corrosion, rust, and weathering. Our Bollards play a role in providing a visible barrier.

CP-BOL102x1200SM

Bollard Steel 102x1200 Surface Mount

CP-BOL115x1200SM

Bollard Steel 115x1200 Surface Mount

CP-BOL140x1200SM

Bollard Steel 140x1200 Surface Mount

CP-BOL165x1200SM

Bollard Steel 165x1200 Surface Mount

OPTIONS:

* Galvanised with cap | Four fixing holes in base plate

* Striping available at an extra cost



BOLLARDS: POWDER-COATED - STEEL- INGROUND

Our In-ground steel bollards are commonly used in various applications, including traffic management, perimeter protection, and enhancing safety in pedestrian areas. They offer impact resistance and are designed to withstand vehicle impacts or provide protective barriers.

CP-BOL102x1650IG

Bollard Steel 102x1650 In-Ground

CP-BOL114x1650IG

Bollard Steel 114x1650 In-Ground

CP-BOL140x1650IG

Bollard Steel 140x1650 In-Ground

CP-BOL165x1650IG

Bollard Steel 165x1650 In-Ground


CP-BOL219x2000IG

Bollard Steel 219x1650 In-Ground

OPTIONS:

* Yellow / White Powder-coated with cap | Four fixing holes in base plate

* Striping available at an extra cost



BOLLARDS: HOT-DIPPED GALVANISED STEEL - INGROUND

The hot-dip galvanized coating enhances the bollard's resistance to the elements, making it suitable for outdoor applications and providing long-term corrosion protection.

CP-BOL102x1650IG	Bollard Steel 102x1650 In-Ground
CP-BOL114x1650IG	Bollard Steel 114x1650 In-Ground
CP-BOL140x1650IG	Bollard Steel 140x1650 In-Ground
CP-BOL165x1650IG	Bollard Steel 165x1650 In-Ground

OPTIONS:


- * Galvanised with cap | Four fixing holes in base plate
- * Striping available at an extra cost



WHEEL STOPPERS - RUBBER

Our Rubber Wheel Stoppers are made from durable and impact-resistant rubber materials. They have reflective markings or strips embedded in the surface to enhance visibility, especially in low-light conditions. Despite their durability, our rubber wheel stoppers are relatively lightweight, making them easy to handle during installation or removal.

CP-WHST	Length: 1650mm Height: 100mm Width at Base: 160mm Weight: 13kgs 3 fixing holes
CP-WHST 1800	Length: 1800mm Height: 110mm Width at Base: 160mm Weight: 15kgs 4 fixing holes



- 8pcs yellow reflective chevron | Complies with AS2890.1
- * Spikes and Bolts available for fixings

WHEEL STOPPERS - CONCRETE

Our Concrete Wheel Stoppers are made from precast concrete, which provides durability and resistance to environmental conditions. They are heavy, providing stability and resistance to movement once installed. Their weight helps keep them in place without additional anchoring. Concrete is naturally resistant to weather conditions, making our concrete wheel stoppers suitable for outdoor use.

CP-WHSTC	Length:1650mm 2 holes for fixings*
CP-WHSTC1950	Length:1950mm
CP-WHSTCT24	Length 2000mm Width 200mm Height 150mm



- **40MPa Reinforced concrete | Cement P.042.5 | Complies with AS2890.1
- Height: 100mm | Width at Base: 160mm

SPEED HUMP

Our Speed Humps have a gradual incline and decline to provide a smoother transition for vehicles, minimising discomfort for drivers and passengers.

CP-SPHECBlack	Speed Hump End Cap – 17x35x5 – Black
CP-SPHECYel	Speed Hump End Cap – 17x35x5 – Yellow
CP-SPHMDBlack	Speed Hump Middle Section – 25x35x5 - Black
CP-SPHMDYel	Speed Hump Middle Section – 25x35x5 – Yellow



CONVEX MIRROR

CP-MICVPL45	Mirror Convex PVC 45cm Diam.
CP-MICVPL60	Mirror Convex PVC 60cm Diam.
CP-MICV PL80	Mirror Convex PVC 80cm Diam.
CP-MICVST60	Mirror Convex Heavy Duty 60cm Diam.
CP-MICVST80	Mirror Convex Heavy Duty 80cm Diam.




FRP STAR PICKETS

Introducing .. the FRP Star Picket .A safer alternative to STEEL star pickets / Y Posts. The FRP Star Picket is made from FIBREGLASS-reinforced epoxy resin.

FRP-SP-1.65	Star Picket 1.65m Black
FRP-SP-1.8	Star Picket 1.8m Black



**Specialist star picket for mining industry.
**Ideal quick install solution for electric fences.



- NON-CONDUCTIVE
- VERY STRONG
- LIGHTWEIGHT
- REUSABLE
- NON-CORROSIVE
- NON-STICK SURFACE
- COOL TO HANDLE
- ROT & ANT PROOF

BARRIER MESH

Our mesh design consists of an open structure with interwoven strands or grids, allowing for visibility while creating a physical barrier. Barrier mesh is lightweight and easy to handle, making it suitable for temporary installations and quick setup.


CP-BARMESH

Barrier Mesh 8kg 50m Roll

CP-SPCAPY/200

Star picket cap with 2 mesh hanging hooks

**8kg heavy duty orange barrier mesh fencing 50m roll - Designed to block off work zones and dangerous hazards. Take down, roll up and reused at the next job.



SPIKES & BOLTS

CP-SPI150

Spike 150mm

CP-SPI300

Spike 300mm

CP-BOSCRD75

Bolt Screw 10x75mm Red Tip

CP-BOSCRD1020

Bolt Screw 10x120mm Red Tip

CP-BOSCRD150

Bolt Screw 10x150mm Red Tip



CABLE PROTECTORS

Our Cable Protectors are constructed from high-quality rubber compounds. The rubber material offers durability, flexibility, and resistance to impact. They include channels or tunnels that allow cables and hoses to pass through. These channels help organize and protect the cables from damage. They are designed to be weather-resistant, making them suitable for use in both indoor and outdoor environments.

CP-CABPR2

Cable Protector 2 Channel

CP-CABPR3

Cable Protector 3 Channel Heavy Duty

CP-CABPR5

Cable Protector 5 Channel



WHEEL CHOCKS, SAFETY TRIANGLES & FIRST AID KITS

Our Wheel Chocks are made of durable materials like rubber or hard plastic to provide stability and prevent slipping. Our Safety Triangles have reflective surfaces to enhance visibility during low-light conditions or nighttime.

CP-WHCHRM	Wheel Chock Rubber 200x100x150
CP-SAFTRI	Safety Triangle (3pcs/set) – Reflective High Visible
CP-SAFTRI	First Aid Kit



SOLAR LIGHTS

Our Solar Lights are equipped with photovoltaic cells (solar panels) that convert sunlight into electricity during the day. This energy is stored in rechargeable batteries for use during the night. They are designed to be weather-resistant, and capable of withstanding exposure to rain, snow, and other environmental elements.

CP-SLFLAMB	Solar Light ABS Flash - Amber
CP-SLFLBL	Solar Light ABS Flash - Blue
CP-SLFLGR	Solar Light ABS Flash - Green
CP-SLFLR	Solar Light ABS Flash - Red
CP-SLFLWH	Solar Light ABS Flash - White
CP-SLSTAMB	Solar Light ABS Steady - Amber
CP-SLSTBLU	Solar Light ABS Steady - Blue
CP-SLSTGRN	Solar Light ABS Steady - Green
CP-SLSTRED	Solar Light ABS Steady - Red
CP-SLSTRW	Solar Light ABS Steady - Red/White
CP-SLSTWHITE	Solar Light ABS Steady - White



DELINEATOR

CP-DEL2	Delineator Two Side
CP-DELA	Delineator Amber
CP-DELB	Delineator Blue
CP-DELR	Delineator Red
CP-DELW	Delineator White



SIGNAGE

CORFLUTE SIGNAGE

Class 1 Fluro Orange Reflective, Size: 600mm x 600mm x 5mm

Class 1 Yellow Reflective, Size: 600mm x 600mm x 5mm,

Class 1 White Reflective, Size: 600mm x 600mm x 5mm

Class 1 White & Yellow Reflective, Size: 1200mm x 300mm x 5mm

Class 1 White & Yellow Reflective, Size: 1200mm x 600mm x 5mm



****Full Signage Catalogue available on request**

ROAD & TRAFFIC SIGNAGE

Warning Signs

Federally Funded Series

Regulatory Signs

Hazard Markers

Guide Signs

Street Name Plates

Service Signs

Truck Markers

Tourist Signs

Temporary Roadwork Signs

Bicycle Route Markers

Multi Message Signs

SAFETY SIGNAGE

Danger Signs

Warning Signs

First Aid & Exit Signs

Office & Carpark Signs

Protective Signs

Fire Safety Signs

Prohibitory Signs

Hazardous Goods Signs

